




Final Random Inspection Report

GENERAL SUMMARY:

Client:	-	
PO No.:	-	
Item No.:	MN-FS02	
Product Name:	MYNT Stromaxx Elite Fan	
Quantity:	600pcs/50ctns	
Inspection location:	Hebei Province, Renqiu City	
Supplier:	Gaoyang County Lithium Creation Electrical Appliance Manufacturing Co., Ltd.	
Date of inspection:	April 30th, 2026	

OVERALL CONCLUSION:

Inspection criteria	Passed	Failed	Pending	Comments
Quantity available:	x	-	-	
Product Conformity:	-	-	x	Remark 1
Workmanship:	-	x	-	Remark 5,6,8
Test and measurement:	-	-	x	Remark 4,9,10,11,12,13,14
Labeling:	-	x	-	Remark 3,7
Packing and shipping mark:	-	-	x	Remark 2,3
Result:	<input type="checkbox"/> Acceptable		<input checked="" type="checkbox"/> Reject	<input type="checkbox"/> Pending

SPECIAL REMARK:

- There's no approved sample providing for reference during inspection.
- No shipping mark and labels spec. available for comparison on site.
- No packing method spec. available for comparison on site.
- The factory can only provide charging and discharging tests, and has no equipment to provide other tests.
- A total of 80 samples were selected for inspection. It was found that 5 samples had major defects and 8 samples had minor defects. Regarding these defects discovered during the inspection process, the inspectors have informed the factory and requested that replacements be made for these defects.
- The switch operates in the opposite direction to the wind speed, and the proportion is randomly set as randomly assembled by the factory.
- Some labels were stuck in the wrong positions. The factory randomly affixed the labels.
- The switches were installed in the wrong positions. Some have 1 as the leftmost position, while others have 2 as the leftmost position.
- 3M tape test failed.
- The factory refused to disassemble the batteries and the fan.
- The charger used for the charging test is of the European standard. The factory does not have converters for conducting the British standard tests.
- The rapid-speed discharge test for the electric fan began at 8:08 in the morning and was completely powered off at 3:51 in the afternoon, approximately takes 8 hours.
- The slow-speed discharge test for the electric fan began at 8:08 in the morning and was completely powered off at 23:10 in the afternoon, approximately takes 15 hours.
- The battery charging test began at 8:15 in the morning and ended at 7:13 in the evening. approximately takes 11 hours.



Final Random Inspection Report

AVAILABLE QUANTITY:

Order No.	Item No.	Order Qty		Packed		Not finished		Not packed		Inspect Qty	
		pcs	ctn	pcs	ctn	pcs	ctn	pcs	ctn	pcs	ctn
-	MN-FS02	600	50	600	50	0	0	0	0	80	7
Total:		600	50	600	50	0	0	0	0	80	7

Lot Size	General Inspection Levels			Special Inspection Levels			
	I	II	III	S1	S2	S3	S4
2 to 8	A	A	B	A	A	A	A
9 to 15	A	B	C	A	A	A	A
16 to 25	B	C	D	A	A	B	B
26 to 50	C	D	E	A	B	B	C
51 to 90	C	E	F	B	B	C	C
91 to 150	D	F	G	B	B	C	D
151 to 280	E	G	H	B	C	D	E
281 to 500	F	H	J	B	C	D	E
501 to 1,200	G	J	K	C	C	E	F
1,201 to 3,200	H	K	L	C	D	E	G
3,201 to 10,000	J	L	M	C	D	F	G
10,001 to 35,000	K	M	N	C	D	F	H
35,001 to 150,000	L	N	P	D	E	G	J
150,001 to 500,000	M	P	Q	D	E	G	J
500,001 and over	N	Q	R	D	E	H	K

Single sampling plans for normal inspection

Sample Size Code Letter	Sample Size	Acceptable Quality Levels (Normal Inspection)																						
		0.065		0.10		0.15		0.25		0.40		0.65		1.0		1.5		2.5		4.0		6.5		
		Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	
A	2																						0	1
B	3																						0	1
C	5																						0	1
D	8																						1	2
E	13																						2	3
F	20																						3	4
G	32																						5	6
H	50																						7	8
J	80																						10	11
K	125																						14	15
L	200	0	1	0	1	1	2	2	3	3	4	5	6	7	8	10	11	14	15	21	22			
M	315																							
N	500																							
P	800	1	2	2	3	3	4	5	6	7	8	10	11	14	15	21	22							
Q	1250	2	3	3	4	5	6	7	8	10	11	14	15	21	22									
R	2000	3	4	5	6	7	8	10	11	14	15	21	22											

<p>Inspection standard: ANSI/ASQC Z1.4-2003</p> <p>Sampling plan: <i>Single, Normal</i></p> <p>Inspection level: Fixed</p> <p>AQL: Critical: Not Allowed.</p>	Sample Size:80pcs			
	AQL:	0	2.5	4.0
	Defects Found:	0	5	8
	Max. Allowed:	0	5	7
		Critical	Major	Minor

This reflects our findings at the time and place in inspection. This inspection has been carried out to the best of our knowledge and ability and our responsibility is limited to the exercise of reasonable one. This report does not relieve the sellers from their contractual obligations nor prejudice buyer's right for compensation for any apparent and / or hidden defects not detected during our random inspection or occurring thereafter. This report does not evidence shipment.



MT-INSPECTION


Final Random Inspection Report

Report No.: MT-20260430-002


WORKMANSHIP:						
Item No.	Sample size	Defective rate	Defects Description	Cri	Maj	Min
MN-FS02	80pcs	10%	Scratches	0	0	8
		5%	Painting peel off	0	4	0
		1.2%	The label is stuck crookedly	0	1	0
Total defect:				0	5	8
Allowed:				0	5	7
Result:				Fail		

Defect Pictures:


Item No:MN-FS02



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



Scratches-Minor



The label is stuck crookedly-maj



Final Random Inspection Report



Paint peeling - Maj

Paint peeling - Maj



Paint peeling - Maj



Paint peeling - Maj

PRODUCT CONFORMITY & ON-SITE TESTS

Check Points & On-site Tests	Sample Size	Criteria	Result & Remarks
Visual Check (Style, Appearance, Material, Color)	All Sample size	a. Conformance to Style / Appearance / Material / Color compared against: <input type="checkbox"/> Client's / <input type="checkbox"/> Factory's ref. sample. <input checked="" type="checkbox"/> No ref. sample for comparison. (N.B.: Provide details in comment section if 2 or more color shades and/or any color variation is found.) b. Free of nick, burrs, pits, sharp point or any other defects which may affect the product serviceability. c. Finish/ coating is smooth and even without streaks, blisters, wrinkles, or runs. d. Good overall appearance with good alignment of components.	PENDING Remark 1
Color Fastness Test	S-2	Dry/wet white cloth rubbing (dry white paper substitute if white cloth is not available)	PASS
Silk Screen Printing Adhesive Test	S-2	Stuck the 3M tape on the printing area and stayed for 30 seconds then torn off to see	Fail



Final Random Inspection Report

		printing quality.		
Pull test on Buttons/Snaps /Hooks/Embellishments, etc.	All Sample size	By hand force for 10 seconds	PASS	
Barcode/QR code scanning test	S-2	Checked by scanner readable	PASS	
Export Carton/inner box Drop Test	1 Carton	Drop the carton for 10 times in the sequence of 1 corner, 3 edges and 6 faces with below criteria:	PASS	
		Carton Gross Wt. (kg)		Drop Height (cm)
		0.5 kg – 9.5 kg		76cm
		≥ 9.5 kg – 18.6 g		61cm
		≥ 18.6 kg – 27.7 kg		46cm
		≥ 27.7 kg – 45.4 kg		31cm
45.4 kg – 68 kg	20cm			
Assembly/ installation check	S-2	Assembly/ installation according to the instruction manual or guide on package to see the component is complete, assembly steps is suitable & the finished product is good performance	PASS	
Function check	200pcs	All captioned function is well conducted as intended. Such as installation/adjusting, actual using function etc. All of function should be complied with claims.	PASS	
Smell test	All Sample size	No pungent smell come out	PASS	
Battery endurance test	5pcs	How long can the battery be used at full charge?	PENDING Remark 12,13	
Battery charge check	5pcs	How long does it take to fully charge an empty battery with a charger.	PENDING Remark 14	
Power test	5pcs	Check the power of the fan	PENDING Remark 4	

PACKING AND ACCESSORIES:

Item No.:	Master shipper (pcs/ctn)	Carton size L×W×H (cm)	G.W (Kg)	N.W (Kg)	Color box size L×W×H (cm)	Color box weight (g)	Color box Barcode
MN-FS02	12	60x60x62	25.55	23.8	27.5x18x28.5	1700g	9555548309289

PRODUCT SPECIFICATION:

Item No.:	Check point	Client Spec.	Sample 1#	Sample 2#	Sample 3 #
MN-FS02	Size check	-	40x26x41cm	40.1x26x41cm	40x26x41.2cm
	Charger power cord	-	73cm	73cm	73cm
	Weight check	-	1430g	1433g	1432g

EXPORT CARTON INFORMATION:

Carton:	New export carton	Yes	Sealing:	Opaque gummed tape	-
Fastening:	Metal staples	No		Transparent gummed tape	Yes
Strapping:	Nylonx2	No		Paper tape	-
Material:	Ply of corrugated paper	5ply	Others:	-	

Product photo show:



Final Random Inspection Report

Item:MN-FS02



Carton view



Carton view



Carton view



Carton view



Carton view



Carton view



Final Random Inspection Report



Size view



Size view



Size view



Size view



Size view



Size view



Final Random Inspection Report



Weight view



Weight view



Weight view



5-ply



Open carton



Packaging rate:12inern boxes per carton




MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Middle box view



Middle box view



Middle box view



Middle box view



Middle box view




Middle box view




Final Random Inspection Report




Middle box view




Size view




Size view



Size view



Size view




Size view



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Size view



Weight view



Weight view



Open carton



Open carton




Open carton




Final Random Inspection Report



Packaging rate



Brown box view



Brown box view



Brown box view



Brown box view




Brown box view




MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Brown box view




Brown box view



Brown box view



Brown box view



Size view



Size view




MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Size view



Size view



Size view



Weight view




Weight view



Open carton



Final Random Inspection Report



Open carton



Open carton



Product view



Product view



Product view



Product view



Final Random Inspection Report



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view




Product view



Product view



Final Random Inspection Report



Product view



Product view



Product view



Product view



Product view



Product view



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Weight view



Weight view




Weight view



Weight view



Instruction manual view



Instruction manual view




Final Random Inspection Report




Instruction manual view




Instruction manual view




Instruction manual view



Instruction manual view




Instruction manual view




Instruction manual view




Final Random Inspection Report




Instruction manual view




Instruction manual view




Instruction manual view



Instruction manual view



Instruction manual view




Instruction manual view




Final Random Inspection Report

MT-INSPECTION

Report No.: MT-20260430-002




Instruction manual view



Product view



Product view



Product view



Product view



Product view



Final Random Inspection Report

	
<p>Product view</p>	<p>Product view</p>
	
<p>Product view</p>	<p>Product view</p>
	
<p>Product view</p>	<p>Product view</p>



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Product view



Product view




Product view



Product view



Product view




Product view



Final Random Inspection Report



Product view




Product view



Product view



Product view



Product view



Product view




Final Random Inspection Report



Product view




Size view



Size view



Size view



Size view




Size view




Final Random Inspection Report




Size view




Size view



Size view



Size view



Size view




Size view



MT-INSPECTION

Final Random Inspection Report


Report No.: MT-20260430-002



Size view



Size view



Size view



Product view



Product view



Size view




Final Random Inspection Report



Size view




Size view




Size view



Size view



Size view



Size view




MT-INSPECTION

Final Random Inspection Report


Report No.: MT-20260430-002



Size view



Size view



Size view



Size view



Weight view



Product view



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Product view



Product view



3M Tape Test



3M Tape Test



3M Tape Test



3M Tape Test



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



3M Tape Test



3M Tape Test



3M Tape Test



Odor test



Rub test



Rub test



Final Random Inspection Report



Rub test



Rub test



Rub test



Rub test



Functional test



Functional test



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Functional test



Functional test




Drop Box Test



Drop Box Test



Drop Box Test



Drop Box Test



Final Random Inspection Report



Drop Box Test



Drop Box Test



Drop Box Test



Drop Box Test



Drop Box Test



Drop Box Test



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260430-002



Battery rapid discharge check-8:08



Battery rapid discharge check-8:08



Battery rapid discharge check-15:51



Battery charge check-8:15



Battery charge check-8:15



Battery charge check-19:13



Other photos



Factory gate



Carton storage



Inspection site



Inspection site

--The End Of Report--