



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002

GENERAL SUMMARY:

Client:	-
PO No.:	BC027
Item No.:	AK3BT(BUNNY/BEAR)
Product Name:	Children's bib
Quantity:	2400 SETS
Inspection location:	Zhoucun District, Zibo City, Shandong Province
Supplier:	Zibo Shengjin Textile Co., Ltd
Date of inspection:	May,18,2026



OVERALL CONCLUSION:

Inspection criteria	Passed	Failed	Pending	Comments
Quantity available:	-	-	x	Remark 1
Product Conformity:	-	-	x	Remark 2
Workmanship:	-	x	-	Remark 5,6,7
Test and measurement:	x	-	-	
Labeling:	-	-	x	
Packing and shipping mark:	-	-	x	Remark 3.4
Result:	<input type="checkbox"/> Acceptable		<input type="checkbox"/> Reject	<input checked="" type="checkbox"/> Pending


SPECIAL REMARK:

1. When the inspector arrived, all products had been produced and the workers were packaging them. On site, only one box was loaded to check if the packaging was correct.
2. There's no approved sample providing for reference during inspection.
3. No shipping mark spec. available for comparison on site.
4. No packing method spec. available for comparison on site.
5. Selected 125pcs samples for inspection, found 3pcs major defect and 5pcs minor defect, for the defects found during inspection, the inspector had already shown to the factory and requested to replace these defects.
6. 5% AK3BT-BUNNY products were found to have uneven ear sewing height.





Final Random Inspection Report



7. Found button skewed for 30% of products.





Final Random Inspection Report

AVAILABLE QUANTITY:

Order No.	Item No.	Order Qty		Packed		Not finished		Not packed		Inspect Qty	
		pcs	ctn	pcs	ctn	pcs	ctn	pcs	ctn	pcs	ctn
BC027	AK3BT-BUNNY	1200	40	60	1	0	0	1140	39	62	-
	AK3BT-BEAR	1200	40	60	1	0	0	1140	39	63	-
Total:		2400	80	120	2	0	0	2280	78	125	-

Lot Size	General Inspection Levels			Special Inspection Levels			
	I	II	III	S1	S2	S3	S4
2 to 8	A	A	B	A	A	A	A
9 to 15	A	B	C	A	A	A	A
16 to 25	B	C	D	A	A	B	B
26 to 50	C	D	E	A	B	B	C
51 to 90	C	E	F	B	B	C	C
91 to 150	D	F	G	B	B	C	D
151 to 280	E	G	H	B	C	D	E
281 to 500	F	H	J	B	C	D	E
501 to 1,200	G	J	K	C	C	E	F
1,201 to 3,200	H	K	L	C	D	E	G
3,201 to 10,000	J	L	M	C	D	F	G
10,001 to 35,000	K	M	N	C	D	F	H
35,001 to 150,000	L	N	P	D	E	G	J
150,001 to 500,000	M	P	Q	D	E	G	J
500,001 and over	N	Q	R	D	E	H	K

Single sampling plans for normal inspection

Sample Size Code Letter	Sample Size	Acceptable Quality Levels (Normal Inspection)																						
		0.065		0.10		0.15		0.25		0.40		0.65		1.0		1.5		2.5		4.0		6.5		
		Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	
A	2																						0	1
B	3																						0	1
C	5																							
D	8																							
E	13																							
F	20																							
G	32																							
H	50																							
J	80																							
K	125																							
L	200	0	1																					
M	315																							
N	500																							
P	800	1	2																					
Q	1250	2	3																					
R	2000	3	4																					

Inspection standard: ANSI/ASQC Z1.4-2003 Sampling plan: <i>Single, Normal</i> Inspection level: II AQL: Critical: Not Allowed.	Sample Size: 125sets			
	Critical	Major	Minor	
	AQL:	0	2.5	4.0
	Defects Found:	0	3	5
	Max. Allowed:	0	7	10



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002

WORKMANSHIP:

Item No.	Sample size	Defective rate	Defects Description	Cri	Maj	Min
AK3BT-BUNNY	62	4.8%	Untrimmed thread end	0	0	3
		1.6%	Sewing thread opening	0	1	0
AK3BT-BEAR	63	1.5%	Untrimmed thread end	0	0	1
		1.5%	sewing pleats	0	0	1
		3.1%	Sewing damage	0	2	0
Total defect:				0	3	5
Allowed:				0	7	10
Result:				Pass		

Defect Pictures:


Item No:AK3BT-BUNNY



Untrimmed thread end-min



Untrimmed thread end-min



Untrimmed thread end-min



Sewing thread opening-maj



Final Random Inspection Report

Item No:AK3BT-BEAR

<p>Untrimmed thread end-min</p>	<p>sewing pleats-min</p>
<p>Sewing damage-maj</p>	<p>Sewing damage-maj</p>

PRODUCT CONFORMITY & ON-SITE TESTS

Check Points & On-site Tests	Sample Size	Criteria	Result & Remarks
Visual Check (Style, Appearance, Material, Color)	All Sample size	a. Conformance to Style / Appearance / Material / Color compared against: <input type="checkbox"/> Client's / <input type="checkbox"/> Factory's ref. sample. <input checked="" type="checkbox"/> No ref. sample for comparison. (N.B.: Provide details in comment section if 2 or more color shades and/or any color variation is found.) b. Free of nick, burrs, pits, sharp point or any other defects which may affect the product serviceability. c. Finish/ coating is smooth and even without streaks, blisters, wrinkles, or runs. d. Good overall appearance with good alignment of components.	<p>PENDING Remark 2</p>
Color Fastness Test	S-2	Dry/wet white cloth rubbing (dry white paper substitute if white cloth is not available)	<p>PASS</p>



Final Random Inspection Report

Rubbing Test on Painting logo	S-2	Wet rubbing by water for 15 seconds and then dried as per client's specification.	PASS	
Metal Detection test	All Sample size	Conduct with factory's calibrated metal detection equipment. Any finding of sharp metal is critical and must fail the inspection.	PASS	
Pull test on Buttons/Snaps /Hooks/Embellishments, etc.	All Sample size	By hand force for 10 seconds	PASS	
Function test on Zipper/Buttons/Snaps/Hooks /Embellishments, etc.	All Sample size	1-2 cycles opening/closing	PASS	
Reliability test on zipper/Buttons/Snaps/Hooks /Embellishments, etc.	S-2	For buckle,zipper,snap.Velcro etc.) Quickly operate each buckle,zipper,snap,Velcro, etc. on each sample by 20 full cycles.	PASS	
Seam strength test	All Sample size	By hand force	PASS	
Export Carton Drop Test	1 Carton	Drop the carton for 10 times in the sequence of 1 corner, 3 edges and 6 faces with below criteria:	PASS	
		Carton Gross Wt. (kg)		Drop Height (cm)
		0.5 kg – 9.5 kg		76cm
		≥ 9.5 kg – 18.6 g		61cm
		≥ 18.6 kg – 27.7 kg		46cm
		≥ 27.7 kg – 45.4 kg		31cm
45.4 kg – 68 kg	20cm			

PACKING AND ACCESSORIES:								
Item No.:	Master shipper (pcs/ctn)	Carton size L×W×H (cm)	G.W (Kg)	N.W (Kg)	Color box size L×W×H (cm)	Color box weight(g)	Carton Barcode	Color box Barcode
AK3BT-BUNNY	60	40x40x35	16.10	-	-	-	-	-
AK3BT-BEAR	60	40x40x35	15.30	-	-	-	-	-

PRODUCT SPECIFICATION:						
Item No.:	Check point	Client Spec.	Sample 1#	Sample 2#	Sample 3#	Sample 4#
AK3BT-BUNNY	Size check(cm)	-	46x20.5	45x19	45x20	45x20
	Weight check(g)	-	34.96	30.98	27.21	28.10
AK3BT-BEAR	Size check(cm)	-	45x20	45x20	45x19.5	45x20
	Weight check(g)	-	27.59	28.62	31.20	28.50

EXPORT CARTON INFORMATION:					
Carton:	New export carton	Yes	Sealing:	Opaque gummed tape	-
Fastening:	Metal staples	Yes		Transparent gummed tape	Yes
Strapping:	Nylonx2	No		Paper tape	-
Material:	Ply of corrugated paper	5ply	Others:	-	



Final Random Inspection Report

Product photo show:

Item:AK3BT-BUNNY



Packaging box view



Packaging box view



Packaging box view



Packaging box view



Open the package



5-layer corrugated paper



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Quantity per box



Quantity per box-60pcs



Unit packaging



Unit packaging



Air holes



Unit packaging



Unit packaging



Unit packaging



Unit packaging



Unit packaging




Unit packaging




Unit packaging




Final Random Inspection Report



Unit packaging




Card View



Card View



Card View



Card View



Card View



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Product View



Product View



Product View



Product View



Product View



Product View







Final Random Inspection Report

<p>Product View</p>	<p>Product View</p>
<p>Product View</p>	<p>Product View</p>
<p>Product View</p>	<p>Product View</p>



Final Random Inspection Report

	
<p>Product View</p>	<p>Product View</p>
	
<p>Product View</p>	<p>Product View</p>
	
<p>Product View</p>	<p>Product View</p>



Final Random Inspection Report



Product View



Product View



Product View



Product View



Product View



Product View



Final Random Inspection Report

<p>Product View</p>	<p>Product View</p>
<p>Product View</p>	<p>Product View</p>
<p>Product View</p>	<p>Product View</p>



Product View



Product View



Product View



Product View



Product View



Product View



Final Random Inspection Report




Packing box dimensions




Packing box dimensions:40cm



Packing box dimensions



Packing box dimensions:40cm



Packing box dimensions



Packing box dimensions:35cm



Final Random Inspection Report



Packing box weight



Packing box weight:16.10kg



Unit packaging size



Unit packaging size-36.5cm



Unit packaging size




Unit packaging size-21cm



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Unit packaging weight-120.39g



Unit packaging weight-110.56g



Product dimensions



Product dimensions:45cm



Product dimensions



Product dimensions:19.5cm



Final Random Inspection Report



Product dimensions



Product dimensions:29cm



Product dimensions



Product dimensions:30cm



Product dimensions:5.3cm



Product dimensions:2.5cm



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Product dimensions:8.3cm



Product dimensions:1.5cm



Product dimensions:4cm



Product dimensions:6cm



Product dimensions:0.5cm



Product weight:34.96g



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002




Product weight:30.98g



Product weight:27.21g



Card size



Card size:20cm



Card size



Card size:18.3cm

Item:AK3BT-BEAR



Final Random Inspection Report



Packaging box view



Packaging box view



Packaging box view



Packaging box view



Open the package



5-layer corrugated paper



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Quantity per box



Quantity per box-60pcs



Unit packaging



Unit packaging



stoma



Unit packaging



Final Random Inspection Report



Unit packaging



Unit packaging



Unit packaging



Unit packaging



Unit packaging



Unit packaging



Unit packaging



Card View



Card View



Card View



Product View



Product View



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Product View



Product View



Product View



Product View



Product View



Product View



Final Random Inspection Report



Product View



Product View



Product View



Product View



Product View



Product View



Final Random Inspection Report



Product View



Product View



Product View



Product View



Product View



Product View



Final Random Inspection Report



Product View



Product View



Product View



Product View



Product View



Product View



Packing box dimensions



Packing box dimensions;40cm



Packing box dimensions



Packing box dimensions;40cm



Packing box dimensions



Packing box dimensions;35cm



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Packing box weight




Packing box weight:15.30kg



Product dimensions




Product dimensions:45cm



Product dimensions



Product dimensions:20.5cm



Product dimensions



Product dimensions:30cm



Product dimensions



Product dimensions:30.5cm



Product dimensions:3cm



Product dimensions:2.5cm



Product dimensions:4.5cm



Product dimensions:2cm



Product weight:27.59g



Product weight:28.62g

Measurement and Test



Rub test



Rub test



Final Random Inspection Report



Rub test



Rub test



Rub test



Rub test



Tensile test



Tensile test



Final Random Inspection Report



Tensile test



Button Test



Button Test



3M test



3M test



3M test



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



3M test



Odor inspection



Functional Check



Functional Check



Drop test of packaging box



Drop test of packaging box



MT-INSPECTION

Final Random Inspection Report

Report No.: MT-20260518-002



Needle detection test



Needle detection test

Other photos



Factory gate



Packaging in progress



Packaging in progress



Packaging in progress

--The End Of Report--